


2.a. Straight Shank Type Reamers




Straight Shank Type Reamers (mm)			
Designation	Length (L)	Diameter (D)	dh6
SP-SLTBR-PCD-120-10	120	10	10
SP-SLTBR-PCD-120-12	120	12	12
SP-SLTBR-PCD-120-14	120	14	14
SP-SLTBR-PCD-120-16	120	16	16
SP-SLTBR-PCD-120-18	120	18	18
SP-SLTBR-PCD-120-20	120	20	20
Customized size can be done as per the customer requirement.			

ORDERING INSTRUCTIONS

SP-SSTBR-PCD-120-10

↓ ↓ ↓ ↓ ↓
 Spectra Tools Product Type Material Length (L) Diameter (D)

2.b. Side Lock Type Reamers




Side Lock Type Reamers (mm)			
Designation	Length (L)	Diameter (D)	dh6
SP-SLTBR-PCD-120-10	120	10	10
SP-SLTBR-PCD-120-12	120	12	12
SP-SLTBR-PCD-120-14	120	14	14
SP-SLTBR-PCD-120-16	120	16	16
SP-SLTBR-PCD-120-18	120	18	18
SP-SLTBR-PCD-120-20	120	20	20
Customized size can be done as per the customer requirement.			

ORDERING INSTRUCTIONS

SP- SLTBR-PCD-120-10
 ↓ ↓ ↓ ↓
 Spectra Tools Material Diameter (D)
 Product Type Length (L)

2.c. Flange Type Reamers



Flange Type Reamers (mm)

Designation	Flange Diameter (RAF)	Flange Thickness	Length (L)	Diameter (D)
SP-FTBR-PCD-RAF60-100-14	60	15	100	12
SP-FTBR-PCD-RAF60-120-16	60	15	120	16
SP-FTBR-PCD-RAF60-120-18	60	15	120	18
SP-FTBR-PCD-RAF70-120-20	70	17	120	20
SP-FTBR-PCD-RAF70-120-22	70	17	120	22
SP-FTBR-PCD-RAF80-130-24	80	18	130	24
SP-FTBR-PCD-RAF80-130-26	80	18	130	26
SP-FTBR-PCD-RAF100-150-30	100	20	150	30
SP-FTBR-PCD-RAF100-180-34	100	20	180	34
SP-FTBR-PCD-RAF100-180-38	100	20	180	38

Customized size can be done as per the customer requirement.

ORDERING INSTRUCTIONS


SP-FTBR-PCD-RAF70-120-20

Spectra Tools
 Product Type
 Brazing Material
 Flange Diameter (RAF)
 Length(L)
 Diameter(D)

SPARES

- Bullet
- Grub Screw
- Allen Key

2.d. HSK Type Reamers




HSK Type Reamers (mm)			
Designation	Taper Size	Length (L)	Diameter (D)
SP-HSKTBR-PCD-100-14	50	100	12
SP-HSKTBR-PCD-120-16	50	120	16
SP-HSKTBR-PCD- 120-18	50	120	18
SP-HSKTBR-PCD- 120-20	50	120	20
SP-HSKTBR-PCD-120-22	63	120	22
SP-HSKTBR-PCD-130-24	63	130	24
SP-HSKTBR-PCD-130-26	63	130	26
SP-HSKTBR-PCD-150-30	100	150	30
SP-HSKTBR-PCD-180-34	100	180	34
SP-HSKTBR-PCD-180-38	100	180	38
Customized size can be done as per the customer requirement.			

ORDERING INSTRUCTIONS

SP- HSKTBR-PCD-120-10

↓ ↓ ↓ ↓
 Spectra Tools Product Type Material Length (L) Diameter (D)

2.e. Carbide Brazed Reamer



Carbide Brazed Reamer(mm)			
DESIGNATION	TAPER SIZE	LENGTH (L)	DIAMETER (D)
SP-SCBR-40-80-7.00-9.99	40	80	7.00-9.99
SP-SCBR-40-80-10.00-12.99	40	80	10.00-12.99
SP-SCBR-50-100-13.00-15.99	50	100	13.00-15.99
SP-SCBR-50-100-16.00-18.99	50	100	16.00-18.99
SP-SCBR-60-130-19.00-21.99	60	130	19.00-21.99
SP-SCBR-60-130-22.00-24.99	60	130	22.00-24.99
SP-SCBR-80-160-25.00-27.99	80	160	25.00-27.99
SP-SCBR-80-160-28.00-30.99	80	160	28.00-30.99

ORDERING INSTRUCTIONS

SP - SCBR - 40 - 80 - 7.00-9.99
 ↓ ↓ ↓ ↓ ↓
 Spectra Tools Product Type Taper Size Length (L) Diameter (D)